

World Class Adhesive Solutions for **SIGNAGE, MEDIA, DISPLAY**



LET'S BOND **BETTER**

OUR BRANDS



Leading Manufacturer of **World Class Adhesive & Sealants**

www.bensonpolymers.com




POLYFIX Flex Grade (LV)

Shelf Life – 4 Months

POLYFIX Flex Grade is a low-viscosity clear adhesive specially designed for applications like flex standees board, flex with flex bonding, flex with metal frame bonding, black-lit flex/boards manufacturing, sun board pasting, acrylic pasting, female raisings etc.

Available in Sizes	Packing
10g, 15g, 18g, 20g	25pcs, 300pcs, 600pcs, 900pcs, 1200pcs, 1800pcs
12g, 50g	25pcs, 600pcs, 1000pcs




POLYFIX SMACR Grade (LV)

Shelf Life – 5 Months

POLYFIX SMACR Grade is a clear adhesive with fast pasting specially designed for applications like pasting acrylic channel letters, clear acrylic, making acrylic fonts, acrylic 3D letters, acrylic sign boards, acrylic showcases, pop displays, transparent logos, nameplates, trophies, mementoes, flex with metal frame, flex with flex. etc

Available in Sizes	Packing
20g	25pcs, 600pcs, 1000pcs
50g	25pcs, 100pcs, 1000pcs




POLYFIX Acrylic Grade (LV)

Shelf Life – 9 Months

POLYFIX Acrylic is a non-whitening, non-blooming clear adhesive specially designed for applications like clear acrylic pasting, neon pasting on acrylic, acrylic showcases, POP displays, transparent logos, nameplates, trophies, mementoes etc.

Available in Sizes	Packing
20g	25pcs, 600pcs, 1000pcs
50g	25pcs, 100pcs, 1000pcs





POLYFIX Cotton Fabric Flex Glue (MV)

Shelf Life – 3 Months

POLYFIX MV Cotton Fabric Flex Glue is primarily used for pasting cotton fabric flex with cotton fabric flex & cotton fabric flex with metal frames. This is fast setting glue, may also be used in manufacturing handicrafts, ceramic pasting etc. It has excellent gap-filling properties and is suitable for filling minor gaps.

Available in Sizes	Packing
20g	25pcs, 100pcs, 1000pcs
50g	20pcs, 240pcs, 480pcs, 720pcs



POLYFIX Rapid MV Glue

Shelf Life – 9 to 12 Months

POLYFIX Rapid MV Glue is primarily used for pasting channel letters / LED neon sign. This is slow curing glue (the speed may be fastened by using activators which maybe purchased separately). It may also be used in manufacturing, handicrafts, ceramic pasting, 3D fonts, donation box, nameplates, shields, trophies, mementoes etc. It has excellent gap-filling properties and is suitable for filling minor gaps.

Sizes	Packing	Sizes	Packing
20g	25pcs, 100pcs, 1000pcs	250g	40pcs, 80pcs
50g	20pcs, 240pcs, 480pcs, 720pcs	500g	1pcs
125g	50pcs		



POLYFIX Rapid HV Glue

Shelf Life – 12 Months

POLYFIX Rapid HV Glue is a clear High-Viscosity thick gel glue that cures slowly (the speed may be fastened by using activators which may be purchased separately). It is best suitable for pasting acrylic sheets with acrylic sheets & metals, for gap filling & cavity making while making 3D fonts, channel letters, for pasting LED strips in font letters, letter female raising etc. It may also be used on most surfaces like PVC, WPC, ACP, HDHMR, charcoal sheets, metals, stone and certain plastics.

Sizes	Packing	Sizes	Packing
20g	25pcs, 100pcs, 1000pcs	250g	40pcs, 80pcs
50g	20pcs, 240pcs, 480pcs, 720pcs	500g	1pcs
125g	50pcs		





POLYFIX Spray Activator (Glass Bottle)

Shelf Life – 12 Months

POLYFIX Spray Activator is used with High/Medium Viscosity Adhesives. It helps in the instant and strong curing of glue. It is best suitable in applications for fabric flex, 3D letters, acrylic letters, LED strips, metal frame raising etc. It is suitable where small areas are needed to be covered and very neat work is required.

Available in Sizes	Packing
20mL	25pcs, 100pcs, 1000pcs
50mL, 100mL	20pcs, 240pcs, 480pcs, 720pcs



POLYFIX Spray Activator (Aerosol Can)

Shelf Life – 12 Months

POLYFIX Aerosol Spray Activator is used with High/Medium Viscosity Adhesives. It helps in the instant and strong curing of glue. It is highly recommended for large surface areas and tough applications. It is best suitable in applications for Fabric flex, 3D/channel letters, acrylic letters, LED strips, metal frame raisings etc.

Available in Sizes	Packing
100mL, 500mL	8pcs, 12pcs, 20pcs



POLYFIX Spray Activator (Aerosol Can without gas)

Shelf Life – 12 Months

POLYFIX Activator is used with High/Medium Viscosity Adhesives. It helps in the instant and strong curing of Glue. It is highly recommended for large surface areas and tough applications. It is best suitable in applications for fabric flex, 3D/channel letters, acrylic letters, LED strips, metal frame raisings etc.

Available in Sizes	Packing
100mL, 250mL	8pcs, 12pcs, 20pcs






POLYFIX A+B Glue Kit (HV)

Shelf Life – 12 Months

POLYFIX A+B (HV) Glue Kit is a two-component superglue with high viscosity glue as A and activator as B. They should never be directly mixed. It can be used on most surfaces like 3D fonts, acrylic/channel letters, LED strips, acrylic, ACP, metal female raisings etc.



Available in Sizes	Packing
500g + 500mL	3pcs, 12pcs, 24pcs, 48pcs



POLYFIX A+B Glue Kit (MV)

Shelf Life – 12 Months

POLYFIX A+B (MV) Glue Kit is a two-component superglue with Medium Viscosity Glue as A and Activator as B. They should never be directly mixed. It can be used on most surfaces like 3D fonts, acrylic/channel Letters, LED strips, acrylic, ACP, metal female raising etc.



Available in Sizes	Packing
500g + 500mL	3pcs, 12pcs, 24pcs, 48pcs



POLYFIX RAPID HV GLUE + Spray Activator (Glass Bottle)

Shelf Life – 12 Months

POLYFIX Rapid HV Glue & Spray Activator (Glass Bottle) offers the quickest bonding to multiple signage applications like Acrylic with metal bonding, for making ACP signage boards, for pasting LED strips and metal female raisings etc. It is most suitable for applications where small area is required to be covered.



Sizes	Packing	Sizes	Packing
20g + 20mL	25pcs, 100pcs, 1000pcs	125g + 100mL	50pcs
50g + 50mL	20pcs, 240pcs, 480pcs, 720pcs	250g + 100mL	10pcs, 20pcs, 40pcs



POLYFIX RAPID HV GLUE + Spray Activator (Aerosol Can)

Shelf Life - 12 Months

POLYFIX Rapid HV Glue & Spray Activator (Aerosol Can) offers the quickest bonding to multiple signage applications like acrylic with metal bonding, for making ACP signage boards, for pasting LED strips and metal female raisings, fabric flex pasting with fabric flex/metal frame etc. It is most suitable for applications where large area is required to be covered or any other large applications.

Sizes	Packing	Sizes	Packing
50g + 50mL	6pcs, 23pcs, 100pcs, 240pcs	250g + 100mL	10pcs, 20pcs, 40pcs
150g + 100mL	10pcs, 20pcs, 40pcs		



POLYFIX RAPID MV GLUE + Spray Activator (Glass Bottle)

Shelf Life - 12 Months

POLYFIX Rapid MV Glue & Spray Activator (Glass Bottle) offers the quickest bonding to multiple signage applications like Acrylic with metal bonding, for making ACP signage boards, for pasting LED strips and metal female raisings etc. It is most suitable for applications where small area is required to be covered.

Sizes	Packing	Sizes	Packing
50g + 50mL	6pcs, 23pcs, 100pcs, 240pcs	250g + 100mL	10pcs, 20pcs, 40pcs
125g + 100mL	10pcs, 20pcs, 40pcs		



POLYFIX RAPID MV GLUE + Spray Activator (Aerosol Can)

Shelf Life - 12 Months

POLYFIX Rapid MV Glue & Spray Activator (Aerosol Can) offers the quickest bonding to multiple signage applications like Acrylic with metal bonding, for making ACP signage boards, for pasting LED strips and metal female raisings, fabric flex pasting with fabric flex/metal frame etc. It is most suitable for applications where large area is required to be covered or any other large applications.

Sizes	Packing	Sizes	Packing
50g + 50mL	6pcs, 23pcs, 100pcs, 240pcs	250g + 100mL	10pcs, 20pcs, 40pcs
125g + 100mL	10pcs, 20pcs, 40pcs		





Acroweld (LV)

Shelf Life – 4 Months

ACROWELD (LV) is a acrylic based thick adhesive that is primarily used for pasting all types of acrylic sheets. It is also suitable for pasting all types of acrylic sheets. For pasting Acrylic with Acrylic, suitable for both lamination and T-joints, making acrylic shields/trophies, 3D letters, podiums, nameplates, keyrings, donation boxes, creative acrylic artefacts, bubble wall making etc.

Sizes	Packing	Sizes	Packing
150g	20pcs, 400pcs, 60pcs	1kg	7pcs, 15pcs
600g	12pcs, 24pcs	5kg	Individual Packing



Acroweld (MV)

Shelf Life – 4 Months

ACROWELD MV is a acrylic based thick adhesive that is primarily used for pasting all types of acrylic sheets. It is also suitable for gap filling in minor parts having small gaps up to 2-3mm. For pasting Acrylic with Acrylic and certain plastics like PC, Nylon, ABS etc and is suitable for both lamination and T-joints, making acrylic shields/trophies, 3D letters, podiums, nameplates, keyrings, donation boxes, creative acrylic artefacts, bubble wall making etc.

Sizes	Packing	Sizes	Packing
150g	20pcs, 400pcs, 60pcs	1kg	7pcs, 15pcs
600g	12pcs, 24pcs	5kg	Individual Packing



Acroweld (HV)

Shelf Life – 4 Months

ACROWELD HV is a acrylic based thick adhesive that is primarily used for pasting all types of acrylic sheets. It is also suitable for gap filling in minor parts having small gaps up to 3-5mm. For pasting Acrylic with Acrylic, wood and certain plastics like PC, Nylon, ABS etc and is suitable for both lamination and T-joints, making acrylic shields/trophies, 3D letters, podiums, nameplates, keyrings, donation boxes, creative acrylic artefacts, bubble wall making etc.

Sizes	Packing	Sizes	Packing
150g	20pcs, 400pcs, 60pcs	1kg	7pcs, 15pcs
600g	12pcs, 24pcs	5kg	Individual Packing





High Tack 5 minute Epoxy (Blister Packing)

Shelf Life – 6 Months

The HIGH TACK multipurpose epoxy instant mix is a resilient, two-part adhesive that combines epoxy resin & hardener for projects requiring superior bonding strength. With its self-mixing dual-syringe applicator, it precisely dispenses the epoxy & hardener, creating a tough, rigid bond in just 5 minute, this multipurpose epoxy is perfect for a wide range of material, making it your ideal go-to solution for fast and permanent repairs. It sets quickly, is resistant to water, & can be sanded, drilled, & painted, offering ultimate versatility in both home and industrial applications.

Sizes	Packing	Sizes	Packing
12mL + 12mL (With Piston & Mixer)	10pcs	200mL + 200mL (No bar used with Epoxy Gun* & Mixer)	5pcs
25mL + 25mL (No bar used with Epoxy Gun* & Mixer)	5pcs		

*Epoxy Gun to be purchased separately. Available in 2 sizes




High Tack 5 minute Epoxy (Bottle Packing)

Shelf Life – 6 Months

The HIGH TACK multipurpose epoxy instant mix is a resilient, two-part adhesive that combines epoxy resin & hardener for projects requiring superior bonding strength. With its self-mixing dual-syringe applicator, it precisely dispenses the epoxy & hardener, creating a tough, rigid bond in just 5 minute, this multipurpose epoxy is perfect for a wide range of material, making it your ideal go-to solution for fast and permanent repairs. It sets quickly, is resistant to water, & can be sanded, drilled, & painted, offering ultimate versatility in both home and industrial applications.

Sizes	Packing	Sizes	Packing
50mL + 50mL	20pcs	250mL + 250mL	12pcs
125mL + 125mL	20pcs	500mL + 500mL	12pcs



High Tack Dome Epoxy (Soft & Flexible)

Shelf Life – 12 Months

HIGH TACK Dome Epoxy Flexible is a two-component clear Epoxy. The two components are Dome Epoxy Clear Resin (soft & flexible) – Part A & dome epoxy clear hardener (soft & flexible) – Part B. They should be mixed in a 1:1 Ratio before use. It is suitable for Doming, casting, coating, encapsulating & potting numerous applications including domed decals, labels, solar panels, encapsulation, and art & craft work. It is fully cured within 24 hours.

Available in Sizes	Packing
125g + 125g, 250g + 250g, 500g + 500g	25pcs, 50pcs





High Tack Dome Epoxy (Hard)

Shelf Life – 12 Months

HIGH TACK Dome Epoxy Hard is a two-component clear Epoxy. The two components are dome epoxy clear resin (Hard)–Part A & dome epoxy clear hardener (Hard)–Part B. They should be mixed in a 2:1 Ratio before use. It is suitable for doming, casting, coating, encapsulating and potting numerous applications including domed decals, labels, solar panels, encapsulation, and art & craft work. It is fully cured within 12-15 hours.

Available in Sizes	Packing
250g + 125g, 500g + 250g	25pcs, 50pcs



High Tack Clear Epoxy

Shelf Life – 12 Months

HIGH TACK Epoxy is a high performance, two component clear epoxy system specifically designed to resist yellowing. This product is versatile and can be used in a variety of applications including plastic coating, bars, tabletops, river table, see through encapsulations, wood finishing and art & craft work requiring a tough, high glass and water-resistant coating.

Sizes	Packing
100g + 50g, 250g + 125g, 500g + 250g, 1kg + 500g, 4kg + 2kg, 10kg + 5kg, 20kg + 10kg	25pcs, 50pcs



DROPBOND UV Potting Compound (Cast Resin for Fonts Making)

Shelf Life – 6 Months

DROPBOND UV Potting Compound is a high-strength, fast-curing, single-component compound with superior electrical insulation properties and Superior Impact Resistance. It is widely used for making 3D Fonts, Craft work etc.

Available in Sizes	Packing
20g, 5kg	Individual Packing
50g, 125g, 500g	12pcs






DROPBOND UV Glue 3020

Shelf Life – 6 Months

Drop bond 3020 low viscosity UV glue cures with artificial UV light quickly and is best for laminating glass with glass & acrylic with acrylic. The bond resists yellowing in the sun and delivers good performance in sandwich pasting. This ultra-violet adhesive emits low odour & is comfortable to use. Drop bond UV Glue 3020 offers superior strength, crystal clear pasting & promises durability. It's main application includes : key rings, shields, name plates, bavelled glass pasting etc.

Available in Sizes	Packing
20g, 50g, 125g, 500g	12pcs



DROPBOND UV Glue 3030-N

Shelf Life – 6 Months

DROPBOND UV 3030-N is a clear and transparent, one-part, solvent-free, fast-setting, easy-to-use adhesive. Artificial UV light is required to cure this adhesive. It is designed specifically for bonding glass to paper or PVC film. It is medium strength glue which is suitable for sandwich and lamination applications. It is suitable for a wide range of applications including keyrings, glass wall partitions, mementoes, nameplates, trophies, shields etc.

Available in Sizes	Packing
20g, 50g, 125g, 500g	12pcs



DROPBOND UV Glue 3031-N

Shelf Life – 6 Months

DROPBOND UV 3031-N is a clear and transparent, one-part, solvent-free, fast-setting, easy-to-use adhesive. Artificial UV light is required to cure this adhesive. It is designed specifically for bonding glass to paper or PVC film. It is medium strength glue which is suitable for sandwich and lamination applications. It is suitable for a wide range of applications including keyrings, glass wall partitions, mementoes, nameplates, trophies, shields etc.

Available in Sizes	Packing
20g, 50g, 125g, 500g	12pcs





DROPBOND UV Glue 3036-N

Shelf Life – 6 Months

DROPBOND UV 3036-N is a clear and transparent, one-part, solvent-free, fast-setting, easy-to-use adhesive. Artificial UV Light is required to cure this adhesive. This adhesive is designed specifically for bonding glass to glass. Its high strength makes it suitable for a wide range of applications including high strength edge/T-joints. Recommended for bonding of glass to glass or glass to metal parts, metal profiles on glass, glass door handle, trophies, mementoes, shields etc.

Available in Sizes	Packing
20g, 50g, 125g, 500g	12pcs




DROPBOND UV Glue 5301

Shelf Life – 6 Months

DROPBOND UV 5301 is a clear and transparent, one-part, solvent-free, fast-setting setting, easy-to-use adhesive. Artificial UV Light is required to cure this adhesive. This adhesive is designed specifically for bonding clear Acrylic to Acrylic lamination, for pasting certain plastics like PC, ABS, PET, and PP sheets. Glass to glass and almost all applications. This is high-strength UV Glue.

Available in Sizes	Packing
20g, 50g, 125g, 500g	12pcs




Debonder Plus

Shelf Life – 12 Months

Debonder Plus is a perfect solution for separating bonded skin, or for removing dried cyanoacrylate adhesive from any surface or cleaning spilled over dried glue. It is very fast & remove dried CA Glue within 3-5 minutes depending on the size & area

Available in Sizes	Packing
50mL, 100mL	15pcs, 30pcs, 66pcs
1kg	Individual Packing





High Tack 355 (Structural Glue)

Shelf Life - 12 Months

High Tack 355 - is a solvent-based High strength construction adhesive for multiple uses. It can be used to bond wood, concrete, cement, board, metal, masonry & ceramics. It reduces the need for screws or nails and does not react to mirror back coating. Ideal for most bonding applications where high strength, gap filling one component adhesive is required.

Available in Sizes	Packing
360g	24pcs, 48pcs



POLYFIX 50

Shelf Life - 12 Months

POLYFIX 50 is a one-component, moisture-curing, high-strength, clear hybrid adhesive. It is best suitable for metal sheets / name plates directly on walls, PVC/WPC Louvers, Stone & Charcoal / Metal / Wooden / Acrylic Sheets on concrete or plastered walls or any other vertical surfaces. It is very good for connection joints of metal structures. It can also be used for the repair of ceramic & Mosaic tiles.

Available in Sizes	Packing
310mL	20pcs
125g (Sausage)	126pcs



POLYFIX 51

Shelf Life - 12 Months

POLYFIX 51 is one component, with an initial tack in 5 seconds, high strength performance hybrid based adhesive. It is the strongest among all types of Montage adhesive, without harming the environment or the human health. PolyFix 51 is suitable for carrying weights upto 300kg/m and adhering materials such as metal, aluminium, glass, plastic, cornices, wooden / PVC skirting, concrete, composite panels and kitchen accessories.

Available in Sizes	Packing
310mL	20pcs






POLYFIX 55

Shelf Life – 12 Months

POLYFIX 55 is suitable for mounting & pasting materials such as glass, mirror, plywood, WPC and PVC bases. It is suitable for both indoor & outdoor applications as a durable adhesive.

Available in Sizes	Packing
310mL	20pcs



POLYFIX 60

Shelf Life – 12 Months

POLYFIX 60 is a single component advanced adhesive that is specifically designed for bonding laminate to PVC/WPC, charcoal, veneer, plywood, mica, metal sheets etc. This system does not contain volatile matter such as solvent or water and hence there is 100% adhesive available for the bonding. Beside the laminate to laminate it is also suitable for various applications such as pasting metal strips, stones, marbles, tiles etc.

Available in Sizes	Packing
450g	20pcs



DROPBOND UV Led Curing Lamps

UV LED Lamp is used for curing UV glue / resin / epoxy and other UV curables.

Lamp Types & Watts	Available Packing
UV LED 160W Handheld Lamp	Individual Packing
UV LED 320W Handheld Lamp	Individual Packing
UV LED 300W Curing Lamp	Individual Packing
UV LED 480W Curing Lamp	Individual Packing



[illegible]

About Us

For over 30 years, Benson Polymers Limited has been at the forefront of the Indian adhesive and sealant market, delivering cutting-edge solutions for the most challenging industrial applications. Our adhesives are trusted across industries, from manufacturing to construction, providing unmatched reliability and strength.



Wide Range of Products

Our diverse product range, including instant glues, flex adhesives, and epoxy resins, leads their respective market segments with innovative solutions tailored to industry needs. From screen printing to construction, our adhesives deliver top-tier performance and reliability across various applications.

Innovation

With a focus on cutting-edge research and development, we continually advance our products to meet the evolving demands of various industries. Our dedication to innovation ensures that we deliver effective, high-performance adhesive solutions tailored to your specific requirements.



World Class Technology

Benson operates four world-class modern manufacturing facilities in India. From sourcing the purest raw materials to using world-class processes, our plants are equipped with the latest equipment and all products go through rigorous quality testing.

Assured Quality Standards

Quality is a way of life at Benson and our products meet all quality standards. Our quality team ensures all processes are monitored and all products go through quality checks at all stages to ensure we deliver only the highest quality products to our customers.



Whatever the Display, **BENSON BONDS IT YOUR WAY**



Get free advice on your bonding needs

Connect with us



+91-7626 007 007



 sales@bensonpolymers.in

 www.bensonpolymers.com

 Benson Polymers Ltd
3, L.S.C., 3rd Floor, Rishabh Vihar Market,
Karkar Dooma, Delhi-110092

Follow Us:    